
Synthesis and Cytotoxic Activity of Tetrazole-Containing 1,5,6,7-Tetrahydro-4*H*-indazol-4-ones

T. S. Khlebnicova^{a,*}, V. G. Zinovich^a, Yu. A. Piven^a, A. V. Baranovsky^a, F. A. Lakhvich^a, R. E. Trifonov^b, Yu. A. Golubeva^{c,d}, and E. V. Lider^c

^a Institute of Bioorganic Chemistry, National Academy of Sciences of Belarus, Minsk, 220141 Belarus

^b St. Petersburg State Institute of Technology (Technical University), St. Petersburg, 190013 Russia

^c A. V. Nikolaev Institute of Inorganic Chemistry, Siberian Branch of the Russian Academy of Sciences, Novosibirsk, 630090 Russia

^d Institute of Molecular Biology and Biophysics – Subdivision of the Federal Research Center for Fundamental and Translational Medicine, Novosibirsk, 630060 Russia

*e-mail: khlebnicova@iboch.by

Received December 22, 2021; revised January 14, 2022; accepted January 16, 2022

Abstract—Tetrazole-containing 1,5,6,7-tetrahydro-4*H*-indazol-4-ones were synthesized by condensation of 2-(tetrazolylacetyl)cyclohexane-1,3-diones with phenyl- or 4-fluorophenylhydrazines in ethanol at room temperature. Structure of the synthesized compounds were confirmed by ¹H, ¹³C, ¹⁹F NMR spectroscopy methods. Cytotoxic activity of the series of obtained compounds was investigated *in vitro* against human laryngeal cancer cells Hep2.

Keywords: 1,5,6,7-tetrahydro-4*H*-indazol-4-ones, tetrazoles, 2-(tetrazolylacetyl)cyclohexane-1,3-diones, cytotoxic activity, Hep2

DOI: 10.1134/S1070363222030045