

# Contents

---

---

**Vol. 100, No. 2, 2020**

---

---

|                                                                                                                                                                                                                                                                  |     |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| Seasonal Development of Plant Bugs (Heteroptera, Miridae): Subfamily Mirinae, Tribe Mirini<br><i>A. Kh. Saulich and D. L. Musolin</i>                                                                                                                            | 135 |
| On the Oviposition Mode and Temperature-Sensitivity of Embryonic Development<br>in a Reed Beetle <i>Plateumaris braccata</i> (Scop.) (Coleoptera,<br>Chrysomelidae: Donaciinae)<br><i>D. A. Kutcherov</i>                                                        | 157 |
| A Comparative Study of Catalase Activity in <i>Culiseta annulata</i> (Schränk) and <i>Culex pipiens</i> L.<br>(Diptera, Culicidae)<br><i>A. V. Razygraev</i>                                                                                                     | 162 |
| Dependence of Uric Acid Content in Stored Grain on the Population Density of the Rice Weevil<br><i>Sitophilus oryzae</i> (L.) (Coleoptera, Dryophthoridae)<br><i>G. F. Zakladnoy and A. V. Yaitskikh</i>                                                         | 170 |
| Population and Harmfulness Dynamics of the Sunn Pest <i>Eurygaster integriceps</i> Put.<br>(Heteroptera, Scutelleridae) in Wheat Crops of the Ciscaucasia Steppe Zone<br><i>A. V. Kapustkina and V. A. Khilevskiy</i>                                            | 173 |
| The First Data on the Bionomics of the Solitary Wasp <i>Euodynerus fastidiosus</i> (De Saussure)<br>(Hymenoptera, Vespidae: Eumeninae)<br><i>A. V. Fateryga</i>                                                                                                  | 179 |
| The Significance of Fleas (Siphonaptera) in the Natural Plague Foci<br><i>B. K. Kotti and M. V. Zhilzova</i>                                                                                                                                                     | 191 |
| Biotopic Associations of the Larvae of the Hoverfly Tribe Xylotini (Diptera, Syrphidae: Eristalinae)<br>with Xylobiont Insects<br><i>N. P. Krivosheina</i>                                                                                                       | 200 |
| Applicability of Mitochondrial Genes COI, COII and Nuclear Gene 18s rDNA for Diagnostics<br>of the Eastern Fruit Fly <i>Bactrocera dorsalis</i> (Hendel, 1912) (Diptera, Tephritidae)<br><i>T. V. Galinskaya, M. Yu. Arapova, N. Yu. Oyun, and I. O. Kamayev</i> | 213 |
| The Use of the Bayes Factor for Identification of <i>Culex pipiens</i> and <i>C. torrentium</i> (Diptera, Culicidae)<br>Based on Morphometric Wing Characters<br><i>A. V. Razygraev and T. M. Sulesco</i>                                                        | 220 |

|                                                                                                                                                                           |     |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|
| New Data on the Distribution of <i>Bradyporus multituberculatus multituberculatus</i> (Fischer von Waldheim, 1833) (Orthoptera, Tettigoniidae) in North Ossetia           |     |
| <i>M. I. Shapovalov, S. K. Cherchesova, M. A. Saprykin, and V. I. Mamaev</i>                                                                                              | 228 |
| Louse Flies (Diptera, Hippoboscidae) on the Courish Spit (Kaliningrad Province, Russia)                                                                                   |     |
| <i>E. P. Nartshuk, A. V. Matyukhin, A. P. Shapoval, M. Yu. Markovets, and O. O. Tolstakov</i>                                                                             | 231 |
| New Weevils of the Genus <i>Pseudalophus</i> Suvorov, 1915 (Coleoptera, Curculionidae: Entiminae) from the Sino-Tibetan Mountains                                         |     |
| <i>G. E. Davidian and Yu. G. Arzanov</i>                                                                                                                                  | 239 |
| New or Little-Known Taxa of the Weevil Subgenus <i>Pseudotiorhynchus</i> , Genus <i>Otiorhynchus</i> (Coleoptera, Curculionidae), from Kazakhstan, Turkmenistan, and Iran |     |
| <i>V. Yu. Savitsky</i>                                                                                                                                                    | 254 |

---